



XTEND-IT

Dry Gas Blanket

PRODUCT OVERVIEW

XTEND-IT is a dry gas blanket designed to extend the shelf life of moisture sensitive polyurethane products by displacing the air in the container it is sprayed into. Applying the XTEND-IT dry gas blanket to the unused portion of a liquid polyurethane, before replacing the lid on the container, will significantly extend the shelf life of the product.

DIRECTIONS

For maximum benefit, XTEND-IT should be applied every time your polyurethane container is opened. For two component polyurethane products, XTEND-IT needs to be only used with the part that contains the TDI or MDI prepolymer. For Smooth-On products, except PL-series and silicones, use with Part A.

- Use with adequate ventilation.
- Shake well before using.
- Partially close lid on container to be sprayed.
- Place XTEND-IT nozzle under container lid and spray for a few seconds. Spray time will depend on container used. For example:
 - ~A half full 1 Gallon container need only be sprayed for about 2 seconds.
 - ~A half full 5 Gallon container for about 5 seconds.
- Immediately replace lid on the container making sure that it is secure in all directions.

SAFETY FIRST

The Material Safety Data Sheet (MSDS) for this or any other product should be read prior to use and is available at www.SCULPT.com. All Smooth-On products are safe to use if directions are read and followed carefully.

Be careful. Use only with adequate ventilation. Contains Ethane, 1,1,1,2-Tetrafluoro (CAS #811-97-2) and Dimethyl Ether (CAS#115-10-6). Vapors will accumulate readily. Keep product away from heat, sparks, flames and sources of static discharge. Do not store above 120F/48C. Do not puncture, incinerate or discard in compactor.

First Aid: Use directional arrow on spray head to avoid spraying in eyes. In case of eye contact, flush with water for 15 minutes and get immediate medical attention. Skin contact: wash with soap and water. Respiratory difficulty: provide fresh air and call doctor.

Note: Inhalation of high concentrations of vapor can cause central nervous system depression and/or heart irregularities. May generate toxic gases on contact with open flame. EYE IRRITANT. Wear eye protection. Avoid contact with eyes and prolonged or repeated contact with skin. Use only as directed. Keep out of reach of children.

Important: The information contained in this bulletin is considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data, the results to be obtained from the use thereof, or that any such use will not infringe upon a patent. User shall determine the suitability of the product for the intended application and assume all risk and liability whatsoever in connection therewith.

Call Us Anytime With Questions About Your Application.

Phone: (212) 367-7561

Fax: (212) 243-6374

Visit Us At Our Website: www.SCULPT.com